This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB USDAT:	Time stamp 2004/05/27 13:19
2	4	("6119215" "6272621") .pn.	USPAT;	2004/03/27 13:19
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	[IBM_TDB	
2		(("6119215" "6272621") .pn.) and (queu\$3 with (unique\$2 id identif\$7	USPAT;	2004/05/27 13:20
3	0		US-PGPUB;	2004/03/27 13.20
		number\$3 type catagor\$3 flow))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	2	(("6119215" "6272621") .pn.) and ((queu\$3 flow\$3) with (unique\$2 id	USPAT;	2004/05/27 13:29
4		identif\$7 number\$3 type catagor\$3 parameter))	US-PGPUB;	200 (103/2) 15:27
		dentify numbers type caugors parameter))	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	82	((array\$3 multiple multi)near2 (CPU processor microprocessor (micro	USPAT;	2003/12/08 14:51
-	02	adj processor))) and ((id identif\$4 tag\$3) near2 queue) and (input adj2	US-PGPUB;	2000.12.001
		buffer) and (output adj2 buffer)	ЕРО; ЈРО;	
		burier) and (output adjz outrer)	DERWENT;	
			IBM TDB	
_	50	((multiprocessor (multi adj processor) (multiple adj cpu))) and (FIFO	USPĀT;	2003/12/08 14:59
		same (parallel adj2 process\$3))	US-PGPUB;	
		dante (paraner adja provissos))	ЕРО; ЈРО;	
			DERWENT,	
			IBM_TDB	
_	220	((multiprocessor (multi adj processor) (multiple adj cpu))) and ((FIFO	USPĀT;	2003/12/08 15:00
	220	queue) same (parallel\$3 adj2 process\$3))	US-PGPUB;	
		44442) smite (Finance in J- 1 //	ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
_	36	((multiprocessor multi-processor (multi adj processor) ((multiple	USPĀT;	2003/12/08 17:35
		plurality) adj2 (cpu processor))) and ((first-in-first-out FIFO queu\$3)	US-PGPUB;	
		same (parallel\$3 adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id)	ЕРО; ЛРО;	
		near2 queu\$3) same (sequen\$3 order\$3 dependenc\$3 flow\$3))	DERWENT;	
			IBM_TDB	
-	1	(((multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	USPAT;	2003/12/09 11:04
		plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3)	US-PGPUB;	
		same (parallel\$3 adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id)	ЕРО; ЈРО;	
		near2 queu\$3) same (sequen\$3 order\$3 dependenc\$3 flow\$3))) and	DERWENT;	
		(((out adj3 order\$3) out-of-order) with (process\$3 operat\$3))	IBM_TDB	
-	34		USPAT;	2003/12/09 11:07
		plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3)	US-PGPUB;	
		same (parallel\$3 adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id)	EPO; JPO;	
		near2 queu\$3) same (sequen\$3 order\$3 dependenc\$3 flow\$3))) and	DERWENT;	
	_	((independen\$4 priorit\$3) with (process\$3 operat\$3))	IBM_TDB USPAT;	2002/12/00 11:24
-	2	((multiprocess\$3 multi-process\$3) (multi adj process\$3) ((multiple		2003/12/09 11:24
		plurality) adj2 (cpu process\$3))) and ((((out adj3 order\$3) out-of-order)	US-PGPUB;	
		and queu\$3) same (parallel\$3 adj2 process\$3)) and ((referenc\$3	EPO; JPO; DERWENT;	
		identif\$4 tag\$3 id) near2 queu\$3) same (sequen\$3 order\$3	IBM TDB	
	10	independen\$4 dependen\$3 flow\$3))	USPAT;	 2003/12/09 11:34
-	42	((multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	2003/12/09 11.34
		plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3)	EPO; JPO;	
		same (parallel\$3 adj2 process\$3)) and (referenc\$3 identif\$4 tag\$3 id)	DERWENT;	
	1	near2 queu\$3) and ((array\$2 near3 process\$3) (pipelin\$3 near3	IBM TDB	
		process\$3))	USPAT;	2003/12/09 11:38
-	63		USPAT, US-PGPUB;	2003/12/09 F1:38
		plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3) same (parallel\$3 near5 process\$3)) and (referenc\$3 identif\$4 tag\$3 id)	EPO; JPO;	
	1	near2 queu\$3) and ((array\$2 near3 process\$3)) (pipelin\$3 near3	DERWENT;	
			IBM TDB	
	1	process\$3))	ערוי זיינים	<u> </u>

-	382	((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:00
-	304	(((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:00
-	151	((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3)) ((multiple plurality) adj2 (cpu process\$3)) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and ((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same (data context))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:07
-	143	((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3)) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and ((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same (data context))) and (((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) same (data context))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:03
-	45	(((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3)) and (first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and ((dependen\$4 independen\$4) with (fifo first-in-first-out queu\$3) with (data context))) not (((multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3) same (parallel\$3 adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id) near2 queu\$3) same (sequen\$3 order\$3 dependenc\$3 flow\$3))) and ((independen\$4 priorit\$3) with (process\$3 operat\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:22
-	15	((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3)) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and ((dependen\$4 independen\$4) with (fifo first-in-first-out queu\$3) with (data context))) not ((((multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3))) and ((first-in-first-out FIFO queu\$3) same (parallel\$3 adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id) near2 queu\$3) same (sequen\$3 order\$3 dependenc\$3 flow\$3))) and ((independen\$4 priorit\$3) with (process\$3 operat\$3))))) and hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 14:20

-	27	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and	USPAT;	2003/12/09 14:22
		(multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
		plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same	ЕРО; ЈРО;	
		buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3	DERWENT;	
		referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3)	IBM_TDB	
		with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4)		
		same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and		
		((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same		
		(data context))) and (((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) same (data context))) and		
		hash\$3		
-	12	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and	USPAT;	2003/12/09 14:22
		(multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
		plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same	ЕРО; ЈРО;	
		buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3	DERWENT;	
		referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3)	IBM_TDB	
		with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4)		
		same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and		
		((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same		
		(data context))) and (((first-in-first-out FIFO queu\$3) with (pointer		
		index\$3 referenc\$3 identif\$4 tag\$3 id)) same (data context))) and hash\$3) not ((((((array\$2 near3 process\$3) (pipelin\$3 near3		
		process\$3)) and (multiprocess\$3 multi-process\$3 (multi adj process\$3)		
		((multiple plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4		
		same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer		
		index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO		,
		queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4		
		independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3)		
		concurren\$2)) and ((dependen\$4 independen\$4) with (fifo		
		first-in-first-out queu\$3) with (data context))) not ((((multiprocess\$3		
		multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu		
		process\$3))) and ((first-in-first-out FIFO queu\$3) same (parallel\$3		
		adj2 process\$3)) and ((referenc\$3 identif\$4 tag\$3 id) near2 queu\$3)		
		same (sequen\$3 order\$3 dependenc\$3 flow\$3))) and ((independen\$4		
		priorit\$3) with (process\$3 operat\$3)))) and hash\$3)		
-	96	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) and	USPAT;	2003/12/09 15:02
		(multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
		plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same	ЕРО; ЈРО;	
		buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3	DERWENT;	
		referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3)	IBM_TDB	
		with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4)		
		same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and		
		((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same		
		(data context))) and (((first-in-first-out FIFO queu\$3) with (pointer		
		index\$3 referenc\$3 identif\$4 tag\$3 id)) same (data context))) and		
		((first-in-first-out FIFO queu\$3) with (index\$3 identif\$4 tag\$3 id))		

-	21	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:03
	`	(multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) adj2 (cpu process\$3))) and (input\$4 same output\$4 same buffer\$3) and ((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) and ((first-in-first-out FIFO queu\$3) with (sequen\$4 order\$3 flow\$3)) and ((dependen\$4 independen\$4) same process\$3)) and ((parallel\$3 near5 process\$3) concurren\$2)) and ((dependen\$4 independen\$4) same (fifo first-in-first-out queu\$3) same (data context))) and (((first-in-first-out FIFO queu\$3) with (pointer index\$3 referenc\$3 identif\$4 tag\$3 id)) same (data context))) and ((first-in-first-out FIFO queu\$3) with (index\$3 identif\$4 tag\$3 id))) and	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	332	((out adj2 of adj3 order\$3) out-of-order\$3) ((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) near4 (cpu process\$3))) and (((out adj3 order\$3) out-of-order) near4 process\$3) and ((referenc\$3 identif\$4 tag\$3 id) with queu\$3) and (sequen\$3 order\$3 dependenc\$3 flow\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 10:46
	179		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:39
-	9	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) near4 (cpu process\$3))) and (((out adj3 order\$3) out-of-order) near4 process\$3) and ((identif\$4 tag\$3 id) with queu\$3) and (sequen\$5 order\$3 dependen\$4 flow\$3 independen\$4))) and (queu\$3 fifo first-in-first-out)) and (out-of-order (out adj2 of adj3 order))) and (router (network adj2 switch)) and (ip (internet adj2 protocol) protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:36
-	0	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple plurality) near4 (cpu process\$3)) and (((out adj3 order\$3) out-of-order) near4 process\$3) and ((identif\$4 tag\$3 id) with queu\$3) and (sequen\$5 order\$3 dependen\$4 flow\$3 independen\$4))) and (queu\$3 fifo first-in-first-out)) and (out-of-order (out adj2 of adj3 order))) and (hash\$3 and (sequen\$5 with (increment\$3 increas\$3 count\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:42

-	0	((((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3)) multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	USPAT; US-PGPUB;	2003/12/10 15:43
		plurality) near4 (cpu process\$3))) and (((out adj3 order\$3)	ЕРО; ЛРО;	
		out-of-order) near4 process\$3) and ((identif\$4 tag\$3 id) with queu\$3)	DERWENT;	
			IBM TDB	
		and (sequen\$5 order\$3 dependen\$4 flow\$3 independen\$4))) and	IDM_IDD	
		(queu\$3 fifo first-in-first-out)) and (out-of-order (out adj2 of adj3		
		order))) and (hash\$3 and (sequen\$5 near5 (increment\$3 increas\$3		
	_	count\$3)))	TIGD I T	2002/12/10 15 12
-	8	(((((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3))	USPAT;	2003/12/10 15:43
		multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
	1	plurality) near4 (cpu process\$3))) and (((out adj3 order\$3)	ЕРО, ЈРО,	
		out-of-order) near4 process\$3) and ((identif\$4 tag\$3 id) with queu\$3)	DERWENT;	
		and (sequen\$5 order\$3 dependen\$4 flow\$3 independen\$4))) and	IBM_TDB	
		(queu\$3 fifo first-in-first-out)) and (out-of-order (out adj2 of adj3		
		order))) and (hash\$3 and (sequen\$5))		
-	1	(((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3))	USPAT;	2003/12/10 16:17
		multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
		plurality) near4 (cpu process\$3))) and (((out adj3 order\$3)	EPO; JPO;	
		out-of-order) near4 process\$3) and ((referenc\$3 identif\$4 tag\$3 id) with	DERWENT;	
		queu\$3) and (sequen\$3 order\$3 dependenc\$3 flow\$3))) and ((sequen\$5	IBM TDB	
		with control\$4 with input\$4 with buffer\$3) and (sequen\$5 with	_	
		control\$4 with output\$4 with buffer\$3))		
_	2	((sequence near3 controller near3 input near3 buffer) and (sequence	USPAT;	2003/12/11 07:40
	-	near3 controller near3 output near3 buffer))	US-PGPUB;	
		//	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
	467	((sequence same controller same input same (connect\$3 coupl\$3) same	USPAT;	2003/12/11 07:41
-	407	buffer) and (sequence same controller same output same (connect\$3	US-PGPUB;	2003/12/11 07:11
		coupl\$3) same buffer))	ЕРО; ЛРО;	
		couples) same burier))	DERWENT;	
			IBM_TDB	
	0	(((sequence same controller same input same (connect\$3 coupl\$3) same	USPAT;	2003/12/10 16:42
-		buffer) and (sequence same controller same output same (connect\$3	US-PGPUB;	2003/12/10 10:12
		coupl\$3) same buffer))) and ((queu\$3 near4 (ID identif\$4 tag)) same	ЕРО; ЛРО;	
		(hash\$3 near4 function))	DERWENT;	
		(nashos heard function))	IBM_TDB	
		(((asayanaa yang cantrallar gama innut gama (cannact\$3 cauni\$3) gama	USPAT;	2003/12/10 16:26
-	0	(((sequence same controller same input same (connect\$3 coupl\$3) same buffer) and (sequence same controller same output same (connect\$3	US-PGPUB;	2003/12/10 10.20
		, , , ,	ЕРО; ЛРО;	
		coupl\$3) same buffer))) and (queu\$3 same (ID identif\$4 tag) same	DERWENT;	
		(hash\$3 near4 function))	IBM TDB	
		(//sagyanga gama controllar gama innut gama /sannact@2 sayn1@2\ sama	USPAT;	2003/12/10 16:34
-	24	(((sequence same controller same input same (connect\$3 coupl\$3) same	US-PGPUB;	2003/12/10 10.34
		buffer) and (sequence same controller same output same (connect\$3	ов-Роров; ЕРО; ЛРО;	
		coupl\$3) same buffer))) and (queu\$3 near4 (ID identif\$4 tag))	DERWENT;	
		(:t	IBM_TDB	2003/12/10 17:22
-	7	(input near3 sequence near3 control\$4) with (input near2 buffer) and	USPAT;	2003/12/10 17:22
		(output near3 sequence near3 control\$4) with (output near2 buffer)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		// do //mo:1 //m// >> // 1.566 // >>	IBM_TDB	2002/12/10 17 52
-	18	((queu\$3 near4 (ID identif\$4 tag)) same (hash\$3 near4 function))	USPAT;	2003/12/10 16:50
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	9	(((sequenc\$3 near4 control\$4 near4 input\$4) same (connect\$3 coupl\$3)	USPAT;	2003/12/11 07:44
		same (control\$4 near4 input\$4 near4 buffer\$3)) and ((sequenc\$3 near4	US-PGPUB;	
		control\$4 near4 output\$4) same (connect\$3 coupl\$3) same (control\$4	EPO; JPO;	
		near4 output\$4 near4 buffer\$3)))	DERWENT;	
			IBM_TDB	
L	1	L		

-	268	(((((array\$2 near3 process\$3) (pipelin\$3 near3 process\$3))	USPAT;	2004/05/24 17:44
	:	multiprocess\$3 multi-process\$3 (multi adj process\$3) ((multiple	US-PGPUB;	
		plurality) near4 (cpu process\$3))) and (((out adj3 order\$3)	ЕРО; ЛРО;	
		out-of-order) near4 process\$3) and ((identif\$4 tag\$3 id) with queu\$3)	DERWENT;	
		and (sequen\$5 order\$3 dependen\$4 flow\$3 independen\$4))	IBM TDB	
	278	(((output\$4 near4 buffer\$3) and (input\$4 near4 buffer\$3)) same	USPAT;	2003/12/11 08:02
-	2/0	(((oupl\$3 connect\$3) same (sequenc\$3 near5 control\$4))	US-PGPUB;	2003/12/11 00:02
		(coupl\$3 connect\$5) same (sequenc\$3 near3 control\$4))		
1.			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	0	((out adj3 order\$3) out-of-order) same ((array\$3 cluster\$3) with	USPAT;	2004/05/24 17:54
		(processor cpu)) same (buffer\$3 input/output input\$3-output\$3 (input\$3	US-PGPUB;	
		adj2 output\$3)) same ((number\$3 identif\$4 tag\$3 id) with queu\$3) and	EPO; JPO;	
		(sequen\$5 order\$3 dependen\$4 flow\$3)	DERWENT;	
			IBM TDB	
1_	25	((out adj3 order\$3) out-of-order) same ((array\$3 cluster\$3) with	USPAT;	2004/05/24 17:55
_	23	(processor cpu)) same (buffer\$3 input/output input\$3-output\$3 (input\$3	US-PGPUB;	200 1700727 17100
			EPO; JPO;	
		adj2 output\$3))		
			DERWENT;	
1			IBM_TDB	
-	3	(synchron\$7 same (packet context header) same (first-in-first-out (first	USPAT;	2004/05/25 15:41
		adj in adj first adj out)) same (queu\$3 with (id identif\$7 name	US-PGPUB;	
		number\$3 index\$3)))	ЕРО; ЈРО;	
			DERWENT,	
			IBM_TDB	
_	9	(synchron\$7 same (first-in-first-out (first adj in adj first adj out)) same	USPAT;	2004/05/25 16:00
		(queu\$3 with (id identif\$7 name number\$3 index\$3)))	US-PGPUB;	
Ì		(queups with (in identifity futfile flatfloor as mackas)))	ЕРО; ЛРО;	
			DERWENT;	
	2.50	1 da	IBM_TDB	2004/05/25 16:00
-	258	(synchron\$7 with (queu\$3 with (id identif\$7 name number\$3 index\$3)))	USPAT;	2004/05/25 16:00
			US-PGPUB;	
	ļ		ЕРО; ЈРО;	
	İ		DERWENT;	
			IBM_TDB	
_	236	(synchron\$7 with (queu\$3 with (id identif\$7 number\$3)))	USPAT;	2004/05/25 16:01
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
	52	(synchron\$7 near5 (queu\$3 near4 (id identif\$7 number\$3)))	USPAT;	2004/05/25 16:14
-	53	(synchrona/ nears (queuas near4 (id identita/ numberas)))	1	2004/03/23 10.14
			US-PGPUB;	
			ЕРО; ЛРО;	
	1		DERWENT;	
	1		IBM_TDB	
-	2	"6119215" .pn.	USPAT;	2004/05/27 13:18
	1		US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
1	I			L